

FINDING GOOD BETS IN THE LOTTERY, AND WHY YOU SHOULDN'T TAKE THEM

AARON ABRAMS AND SKIP GARIBALDI

ABSTRACT. Should you invest in the lottery? The recent Mega Millions and Powerball lottery jackpots of more than \$300 million have made us wonder: When, if ever, is it a good idea to buy lottery tickets? Some lottery drawings do indeed have a positive rate of return. We use a little elementary calculus to give general criteria for lotteries to have positive or negative rates of return. We then use a little economic theory to show that buying lottery tickets is generally not a good investment, even when the rate of return is spectacularly good.

Everybody knows that the lottery is a bad investment.

But do you know why? How do you know? For most lotteries, the obvious answer is obviously correct: lottery operators are running a business, and we can assume they have set up the game so that they make money. If they make money, they must be paying out less than they are taking in; so on average, the ticket buyer loses money. This reasoning applies, for example, to the policy games formerly run by organized crime described in [13] and [11], and to the (essentially identical) Cash 3 and Cash 4 games currently offered in the state of Georgia, where the authors reside. This reasoning also applies to Las Vegas-style gambling, and can be summed up with the quip, “How do you think the Luxor can afford to keep their spotlight lit?”

However, the question becomes less trivial for games like Mega Millions (currently played in 12 of the 50 US states), Powerball (played in 41 states), and various US state lotteries. The difference is that these games have a *rolling jackpot*, which means that in a particular drawing, if no player wins the largest prize (the *jackpot*), then that money is “rolled over” and increased for the next drawing. So although on average the operators of the game are still making money, one can imagine that for a particular drawing, a sufficiently large jackpot would give a lottery ticket a positive average return, even though the probability of winning the jackpot with a single ticket remains extremely small. Indeed, for any particular drawing, it is easy enough to calculate the expected rate of return, and this has been done in the literature for lots of drawings (see e.g. [17]). We give a formula below in (4.4). Sure enough, sometimes the expected rate of return is in fact positive.

Date: Version of June 23, 2008.
Corresponding author: Garibaldi.

We are certainly not the first to discover this, but what surprised us was which lotteries offered the good bets, and also just how good they sometimes are. We almost thought we should invest in the lottery!

Naturally we wanted to get to the bottom of this, and in the process several natural questions presented themselves. Are there any rules of thumb to help pick out the drawings with good rates of return? One jackpot winner said she only bought lottery tickets when the announced jackpot was at least \$100 million [23]. Is this a good idea? (Or perhaps a modified version, replacing the threshold with something less arbitrary?) Sometimes the announced jackpots of these games are truly enormous, such as on March 9, 2007, when Mega Millions announced a \$390 million prize. Was buying a ticket for that drawing a good investment? More generally, on those occasions when the rate of return is good, is a lottery ticket a good investment? What about a thousand lottery tickets? The purpose of this paper is to document our findings.

We should come clean here and admit that to this point we have been (deliberately) conflating several notions. By a “good bet” (for instance in the title of this paper) we mean any wager with a positive rate of return. This is a mathematical quantity which is easily computed. A “good investment” is harder to define, and must take into account risk. This is where things really get interesting, because as any undergraduate economics major knows, mathematics alone does not provide the tools to determine when a good bet is a good investment. (Although a bad bet is always a bad investment!) To address this issue we therefore leave the domain of mathematics and enter a discussion of some basic economic theory, which, in Part III of the paper, succeeds in answering our questions (hence the second part of the title). And by the way, a “good idea” is even less formal: independently of your financial goals and strategies, you might enjoy playing the lottery for a variety of reasons. We’re not going to try to stop you.

To get started, we build a mathematical model of a lottery drawing. Part I of this paper (§§1–3) describes the model in detail: it has three parameters (f, F, t) that depend only on the lottery and not on a particular drawing, and two parameters (N, J) that vary from drawing to drawing. Here N is the total ticket sales and J is the size of the jackpot. (The reader interested in a particular lottery can easily determine f, F , and t .) The benefit of the general model, of course, is that it allows us to prove theorems about general lotteries. The parameters are free enough that the results apply to Mega Millions, Powerball, and many other smaller lotteries.

In Part II (§§4–8) we use elementary calculus to derive criteria for determining, without too much effort, whether a given drawing is a good bet. We show, roughly speaking, that drawings with “small” ticket sales (relative to the jackpot; the measurement we use is N/J , which should be less than $1/5$) offer positive rates of return, once the jackpot exceeds a certain easily computed threshold. Lotto Texas is an example of such a lottery. On the other hand, drawings with “large” ticket sales (again, this means N/J is

larger than a certain cutoff, which is slightly larger than 1) will always have negative rates of return. As it happens, Mega Millions and Powerball fall into this category; in particular, no drawing of either of these two lotteries has ever been a good bet, including the aforementioned \$390 million jackpot. Moreover, based on these considerations we argue in Section 8 that Mega Millions and Powerball drawings are likely to always be bad bets in the future also.

With this information in hand, we focus on those drawings that have positive expected rates of return, i.e. the good bets, and we ask, from an economic point of view, whether they can ever present a good investment. If you buy a ticket, of course, you will most likely lose your dollar; on the other hand, there is a small chance that you will win big. Indeed, this is the nature of investing (and gambling): every interesting investment offers the potential of gain alongside the risk of loss. If you view the lottery as a game, like playing roulette, then you are probably playing for fun and you are both willing and expecting to lose your dollar. But what if you really want to make money? Can you do it with the lottery? More generally, how do you compare investments whose expected rates of return and risks differ?

In Part III of the paper (§§9–11) we discuss basic portfolio theory, a branch of economics that gives a concrete, quantitative answer to exactly this question. Portfolio theory is part of a standard undergraduate economics curriculum, but it is not so well known to mathematicians. Applying portfolio theory to the lottery, we find, as one might expect, that even when the returns are favorable, the risk of a lottery ticket is so large that an optimal investment portfolio will allocate a negligible fraction of its assets to lottery tickets. Our conclusion, then, is unsurprising; to quote the movie *War Games*, “the only winning move is not to play.”^a

You might respond: “So what? I already knew that buying a lottery ticket was a bad investment.” And maybe you did. But we thought we knew it too, until we discovered the fantastic expected rates of return offered by certain lottery drawings! The point we want to make here is that if you want to actually *prove* that the lottery is a bad investment, the existence of good bets shows that mathematics is not enough. It takes economics in cooperation with mathematics to ultimately validate our intuition.

Further reading. The lotteries described here are all modern variations on a lottery invented in Genoa in the 1600s, allegedly to select new senators [1]. The Genoese-style lottery became very popular in Europe, leading to interest by mathematicians including Euler, see e.g. [8] or [2]. The papers [18] and [31] survey modern US lotteries from an economist’s perspective. The book [30] gives a treatment for a general audience. The conclusion of Part III of the present paper—that even with a very good expected rate of return, lotteries are still too risky to make good investments—has of course been observed before by economists, see [15]. Whereas we compare the

^aHow about a nice game of chess?

lottery to other investments via portfolio theory, the paper [15] analyzes whether or not to buy lottery tickets as an investment in isolation using the Kelly criterion (described, e.g., in [25]). The mathematics required for their analysis is more sophisticated than the undergraduate-level material used in ours.

Part I. The setup: modeling a lottery

1. MEGA MILLIONS AND POWERBALL

The Mega Millions and Powerball lotteries are similar in that in both, a player purchasing a \$1 ticket selects 5 distinct “main” numbers (from 1 to 56 in Mega Millions and 1 to 55 in Powerball) and 1 “extra” number (from 1 to 46 in Mega Millions and 1 to 42 in Powerball). This extra number is not related to the main numbers, so, e.g., the sequence

$$\text{main} = 4, 8, 15, 16, 23 \quad \text{and} \quad \text{extra} = 15$$

denotes a valid ticket in either lottery. The number of possible distinct tickets is $\binom{56}{5}46$ for Mega Millions and $\binom{55}{5}42$ for Powerball.

At a predetermined time, the “winning” numbers are drawn on live television and the player wins a prize (or not) based on how many numbers on their ticket match the winning numbers. The prize payouts are listed in Table 1 below. A ticket wins only the best prize for which it qualifies, e.g., a ticket that matches all six numbers only wins the jackpot and not any of the other prizes. We call the non-jackpot prizes *fixed*, because their value is fixed. (In this paper, we treat a slightly simplified version of Powerball. The actual game allows the player the option of buying a \$2 ticket that has larger fixed prizes. Also, in the event of a record-breaking jackpot, some of the fixed prizes are also increased by a variable amount. We ignore both of these possibilities. The rules for Mega Millions also vary slightly from state to state,^b and we take the simplest and most popular version here.)

The payouts listed in our table for the two largest fixed prizes are slightly different from those listed on the lottery websites, in that we have deducted federal taxes. Currently, gambling winnings over \$600 are subject to federal income tax, and winnings over \$5000 are withheld at a rate of 25%, see [12] or [3]. Since income tax rates vary from gambler to gambler, we use 25% as an estimate of the tax rate.^c For example, the winner of the largest non-jackpot prize for the Mega Millions lottery receives not the nominal \$250,000 prize, but rather 75% of that amount, as listed in Table 1. Because state tax rates on gambling winnings vary from state to state and Mega Millions and Powerball are each played in states that do not tax state lottery winnings

^bMost notably, in California all prizes are pari-mutuel.

^cWe guess that most people who win the lottery will pay at least 25% in taxes. For anyone who pays more, the estimates we give of the jackpot value J for any particular drawing should be decreased accordingly. This kind of change makes our final conclusion—that buying lottery tickets is a poor investment—stronger.

match	Mega Millions		Powerball	
	payout	# of ways to make this match	payout	# of ways to make this match
5/5 + extra	jackpot	1	jackpot	1
5/5	\$187,500	45	\$150,000	41
4/5 + extra	\$7,500	255	\$7,500	250
4/5	\$150	11,475	\$100	10,250
3/5 + extra	\$150	12,750	\$100	12,250
2/5 + extra	\$10	208,250	\$7	196,000
3/5	\$7	573,750	\$7	502,520
1/5 + extra	\$3	1,249,500	\$4	1,151,500
0/5 + extra	\$2	2,349,060	\$3	2,118,760

TABLE 1. Prizes for Mega Millions and Powerball. A ticket costs \$1. Payouts for the 5/5 and 4/5 + extra prizes have been reduced by 25% to approximate taxes.

(e.g., New Jersey [21, p. 19] and New Hampshire respectively), we ignore state taxes for these lotteries.

2. LOTTERIES WITH OTHER PARI-MUTUEL PRIZES

In addition to Mega Millions or Powerball, some states offer their own lotteries with rolling jackpots. Here we describe the Texas (“Lotto Texas”) and New Jersey (“Pick 6”) games. In both, a ticket costs \$1 and consists of 6 numbers (1–49 for New Jersey and 1–54 for Texas). For matching 3 of the 6 winning numbers, the player wins a fixed prize of \$3.

All tickets that match 4 of the 6 winning numbers split a pot of $.05N$ (NJ) or $.033N$ (TX), where N is the net amount of sales for that drawing. (As tickets cost \$1, as a number, N is the same as the total number of tickets sold.) The prize for matching 5 of the 6 winning number is similar; such tickets split a pot of $.055N$ (NJ) or $.0223N$ (TX); these prizes are typically around \$2000, so we deduct 25% in taxes from them as in the previous section, resulting in $.0413N$ for New Jersey and $.0167N$ for Texas. (Deducting this 25% makes no difference to any of our conclusions, it only slightly changes a few numbers along the way.) Finally, the tickets that match all 6 of the 6 winning numbers split the jackpot.

How did we find these rates? For New Jersey, they are on the state lottery website. Otherwise, you can approximate them from knowing—for a single past drawing—the prize won by each ticket that matched 4 or 5 of the winning numbers, the number of tickets sold that matched 4 or 5 of the winning numbers, and the total sales N for that drawing. (In the case of Texas, these numbers can be found on the state lottery website, except for

total sales, which is on the website of a third party [20].) The resulting estimates may not be precisely correct, because the lottery operators typically round the prize given to each ticket holder to the nearest dollar.

As a matter of convenience, we refer to the prize for matching 3 of 6 as *fixed*, the prizes for matching 4 or 5 of 6 as *pari-mutuel*, and the prize for matching 6 of 6 as the *jackpot*. (Strictly speaking, this is an abuse of language, because the jackpot is also pari-mutuel in the usual sense of the word.)

3. THE GENERAL MODEL

We want a mathematical model that includes Mega Millions, Powerball, and the New Jersey and Texas lotteries described in the preceding section. We model an individual drawing of such a lottery, and write N for the total ticket sales, an amount of money. Let t be the number of distinct possible tickets, of which:

- $t_1^{\text{fix}}, t_2^{\text{fix}}, \dots, t_c^{\text{fix}}$ win fixed prizes of amounts a_1, a_2, \dots, a_c respectively,
- $t_1^{\text{pari}}, t_2^{\text{pari}}, \dots, t_d^{\text{pari}}$ split pari-mutuel pots of size r_1N, r_2N, \dots, r_dN respectively, and
- 1 of the possible distinct tickets wins a share of the jackpot J . More precisely, if w copies of this 1 ticket are sold, then each ticket-holder receives J/w .

There are a few technical points. The prizes a_i , the number N , and the jackpot J are denominated in units of “price of a ticket”. For all four of our example lotteries, the tickets cost \$1, so for example the amounts listed in Table 1 are the a_i ’s—one just drops the dollar sign. Furthermore, the prizes are *the actual amount the player receives*. We assume that taxes have already been deducted from these amounts, at whatever rate such winnings would be taxed. (In this way, we avoid having to include tax in our formulas.) Jackpot winners typically have the option of receiving their winnings as a lump sum or as an annuity, see e.g. [28] for an explanation of the differences. We take j to be the after-tax value of the lump sum, or—what is the essentially the same—the present value (after tax) of the annuity. Note that this j is far smaller than the jackpot amounts announced by lottery operators, which is usually a total of the pre-tax annuity payments. Some comparisons are shown in Table 3A.

We assume that the player knows J . After all, the pre-tax value of the annuitized jackpot is announced publicly in advance of the drawing, and from it one can estimate J . For Mega Millions and Powerball, the lottery websites also list the pre-tax value of the cash jackpot, so the player only needs to consider taxes.

Statistics. In order to analyze this model, we focus on a few statistics f, F , and J_0 deduced from the data above. These numbers depend only on the lottery itself (e.g., Mega Millions), and not on a particular drawing.

date	game	annuity jackpot (pre-tax)	lump sum jackpot (pre-tax)	J (estimated)
4/07/2007	Lotto Texas	75m	45m	33.8m
3/06/2007	Mega Millions	390m	233m	175m
2/18/2006	Powerball	365m	177.3m	133m
10/19/2005	Powerball	340m	164.4m	123.3m

TABLE 3A. Comparison of annuity and lump sum jackpot amounts for some lottery drawings. The value of J is the lump sum minus tax, which we assume to be 25%. The letter ‘m’ denotes millions of dollars.

We define f to be the cost of a ticket less the expected winnings from fixed prizes, i.e.,

$$(3.1) \quad f := 1 - \sum_{i=1}^c a_i t_i^{\text{fix}} / t.$$

This number is approximately the proportion of lottery sales that go to the jackpot, the pari-mutuel prizes, and “overhead” (i.e., the cost of lottery operations plus vigorish; it typically amounts to 45% of net sales). It is not quite the same, because we have deducted income taxes from the amounts a_i .

We define F to be

$$(3.2) \quad F := f - \sum_{i=1}^d r_i,$$

which is approximately the proportion of lottery sales that go to the jackpot and overhead.

Finally, we put

$$(3.3) \quad J_0 := Ft.$$

We call this quantity the *jackpot cutoff*, for reasons which will become apparent in Section 5. Table 3B lists these numbers for our four example lotteries.

game	t	f	F	J_0
Mega Millions	175,711,536	0.838	0.838	147m
Powerball	146,107,962	0.821	0.821	120m
Lotto Texas	25,827,165	0.957	0.910	23.5m
New Jersey Pick 6	13,983,816	0.947	0.855	11.9m

TABLE 3B. Some statistics for our example lotteries that hold for all drawings

Part II. To bet or not to bet: analyzing the rate of return

4. EXPECTED RATE OF RETURN

Using the model described in Part I, we now calculate the expected rate of return (eRoR) on a lottery ticket, assuming that a total of N tickets are sold. The eRoR is

$$(4.1) \quad \begin{aligned} (\text{eRoR}) = & - \left(\begin{array}{c} \text{cost of} \\ \text{ticket} \end{array} \right) + \left(\begin{array}{c} \text{expected winnings} \\ \text{from fixed prizes} \end{array} \right) \\ & + \left(\begin{array}{c} \text{expected winnings} \\ \text{from pari-mutuel} \\ \text{prizes} \end{array} \right) + \left(\begin{array}{c} \text{expected winnings} \\ \text{from the jackpot} \end{array} \right), \end{aligned}$$

where all the terms on the right are measured in units of “cost of one ticket”. The parameter f defined in (3.1) is the negative of the first two terms.

The probability that your ticket is a jackpot winner together with $w - 1$ of the other tickets is given by the binomial distribution:^d

$$\binom{N-1}{w-1} (1/t)^w (1-1/t)^{N-w}.$$

In this case the amount you win is J/w . We therefore define

$$s(p, N) := \sum_{w \geq 1} \frac{1}{w} \binom{N-1}{w-1} p^w (1-p)^{N-w},$$

and now the expected amount won from the jackpot is $J s(1/t, N)$. Combining this with a similar computation for the pari-mutuel prizes and with the preceding paragraph, we obtain the formula:

$$(4.2) \quad (\text{eRoR}) = -f + \sum_{i=1}^d r_i N s(p_i, N) + J s(1/t, N).$$

where $p_i := t_i^{\text{pari}}/t$ is the probability of winning the i -th pari-mutuel prize and (d is the number of pari-mutuel prizes).

The domain of the function s can be extended to allow N to be real (and not just integral); one can do this the same way one ordinarily treats such binomial coefficients in calculus, or equivalently by using the following closed form expression for s .

Proposition 4.3. *For $0 < p < 1$ and $N > 0$,*

$$s(p, N) = \frac{1 - (1-p)^N}{N}.$$

We will prove this in a moment, but first we plug it into (4.2) to obtain:

$$(4.4) \quad \boxed{(\text{eRoR}) = -f + \sum_{i=1}^d r_i (1 - (1-p_i)^N) + J s(1/t, N)}$$

^dWe are assuming that the particular numbers on the other tickets are chosen randomly. See 4.7 below for more on this hypothesis.

Applying this formula to our example drawings from Table 3A gives the eRoRs listed in Table 4.

date	game	J	N	exp. RoR	J/J_0	N/J
4/07/2007	Lotto Texas	33.8m	4.2m	+30%	1.44	0.13
3/06/2007	Mega Millions	175m	212m	-26%	1.19	1.22
2/18/2006	Powerball	133m	157m	-26%	1.11	1.18
10/19/2005	Powerball	123.3m	161m	-31%	1.03	1.31

TABLE 4. Expected rate of return for some specific drawings, calculated using (4.4).

Proof of Prop. 4.3. The Binomial Theorem gives an equality of functions of two variables x, y :

$$(x + y)^n = \sum_{k \geq 0} \binom{n}{k} x^k y^{n-k}.$$

We integrate both sides with respect to x and obtain

$$\frac{(x + y)^{n+1}}{n + 1} + f(y) = \sum_{k \geq 0} \binom{n}{k} \frac{x^{k+1}}{k + 1} y^{n-k}$$

for some unknown function $f(y)$. Plugging in $x = 0$ gives:

$$\frac{y^{n+1}}{n + 1} + f(y) = 0,$$

hence for all x and y , we have:

$$\frac{(x + y)^{n+1}}{n + 1} - \frac{y^{n+1}}{n + 1} = \sum_{k \geq 0} \frac{1}{k + 1} \binom{n}{k} x^{k+1} y^{n-k}.$$

The proposition follows by plugging in $x = p$, $y = 1 - p$, $N = n + 1$, and $w = k + 1$. \square

We close this section with a corollary that will be useful in later sections.

Corollary 4.5. *Suppose that $0 < p < 1$.*

- (1) *For $x \in [1, \infty)$, the value of $s(p, x)$ decreases from $s(p, 1) = p$ to 0.*
- (2) *For $x \in [0, \infty)$, the value of $x s(p, x)$ increases from $s(p, 0) = 0$ to 1.*

Proof. Intuitively, claim (1) makes sense: Consider a lottery where the only prize is that jackpot, so that (4.4) becomes

$$(\text{eRoR}) = -1 + J s(1/t, N).$$

For a fixed jackpot amount, the expected rate of return on a single lottery ticket decreases as a function of the number N of tickets sold, since the possibility of sharing the jackpot grows with N . As the parameters f and J are fixed, this implies that $s(p, x)$ is a decreasing function of x .

But that argument only applies to integer values of x ; proving it in general takes a little calculus. First we compute the derivative:

$$\frac{d}{dx}s(p, x) = \frac{-1 + (1-p)^x(1-x\ln(1-p))}{x^2}.$$

We want to show that the numerator is negative, i.e., that

$$(4.6) \quad \frac{1}{(1-p)^x} > 1 - x\ln(1-p).$$

Notice that $\ln(1-p)$ is negative, so both sides are increasing functions of x . (In fact the left side is exponential in x , while the right side is linear.) At $x = 1$, the left side of (4.6) equals

$$\frac{1}{1-p} = 1 + p + p^2 + p^3 + \dots$$

and the right side equals

$$1 - \ln(1-p) = 1 + p + \frac{p^2}{2} + \frac{p^3}{3} + \dots$$

As p is positive, we see that the terms of the left hand side are larger than the corresponding terms of the right; therefore (4.6) holds for $x = 1$.

In order to prove (4.6) for $x > 1$, then, it suffices to show that the derivative of the left side is larger than the derivative of the right, i.e., that

$$\frac{-\ln(1-p)}{(1-p)^x} > -\ln(1-p).$$

As $-\ln(1-p) > 0$, this reduces to

$$\frac{1}{(1-p)^x} > 1,$$

which clearly holds since $0 < (1-p) < 1$. This completes the proof of (1).

As for (2), Prop. 4.3 gives that $x s(p, x)$ is equal to $1 - (1-p)^x$, so the claim follows from the hypothesis on p . \square

4.7. Unpopular numbers. Throughout this paper, we are assuming that other people select their tickets randomly. This is not strictly realistic. In a typical Powerball drawing, 70 to 80 percent of the tickets sold are “quick picks,” i.e., their numbers are picked randomly by computer [24], whereas the others have numbers chosen by the player. Ample evidence indicates that player-chosen numbers are not evenly distributed amongst the possible choices, leading to a strategy: If you play “unpopular” numbers, then your chances of winning a prize are the same, but your chance of sharing the jackpot decreases, so your expected return increases. See e.g. [5] or [30].

The reader who wants to analyze the strategy of picking unpopular numbers can proceed as follows. Suppose the lottery has no pari-mutuel prizes, so that (4.4) becomes

$$(\text{eRoR}) = -f + J s(1/t, N).$$

In this formula, one replaces the total ticket sales N with a new number N^{eff} such that the odds of one, two, three, etc. of N^{eff} randomly distributed tickets winning the jackpot is the same as the probability of one, two, three, etc. of N actual tickets (including both randomly chosen and gambler-chosen numbers) winning the jackpot. Computing N^{eff} requires knowing the fraction of tickets sold that are randomly chosen and also the frequency with which gamblers choose your particular “unpopular” numbers. (For Powerball, since at least 70% of the tickets are randomly chosen, N^{eff} is at least $0.7N$.) Our theorems below can be adjusted accordingly.

5. THE JACKPOT CUTOFF J_0

With the results of the preceding section in hand, it is easy to see that the rate of return on “nearly all” lottery drawings is negative. How? We prove an upper bound on the eRoR (4.4).

In (4.4), the terms $1 - (1 - p_i)^N$ are at most 1. So we find:

$$(\text{eRoR}) \leq -f + \sum_{i=1}^d r_i + J s(1/t, N).$$

The negative of the first two terms is the number F defined in (3.2), i.e.,

$$(5.1) \quad (\text{eRoR}) \leq -F + J s(1/t, N).$$

But by Cor. 4.5, $s(1/t, N)$ is less than $1/t$, so

$$(\text{eRoR}) < -F + J/t.$$

In order for the eRoR to be positive, clearly $-F + J/t$ must be positive, i.e., J must be greater than $Ft = J_0$. This is why (in (3.3)) we called this number the *jackpot cutoff*. To summarize:

$$(5.2) \quad \boxed{\text{If } J < J_0, \text{ then a lottery ticket is a bad bet, i.e., the expected rate of return is negative.}}$$

With (5.2) in mind, we ignore all drawings with $J < J_0$. This naive and easy-to-check criterion is extremely effective; it shows that “almost all” lottery drawings have negative eRoR. The drawings listed in Table 4 are all the drawings in Mega Millions and Powerball (since inception of the current games until the date of writing, December 2007) where the jackpot J was at least J_0 . There are only 3 examples out of about 500 drawings, so this event is uncommon. We also include one Lotto Texas drawing with $J > J_0$. (This drawing was preceded by a streak of several such drawings in which no one won the jackpot; the eRoR increased until someone won the April 7, 2007 drawing.) In the period we observed, the New Jersey lottery had no drawings with $J > J_0$.

Table 4 also includes, for each drawing, an estimate of the number of tickets sold for that drawing. The precise numbers are not publicized by the lottery operators. In the case of Powerball, we estimated N by using the number of tickets that won a prize, as reported in press releases. For

Mega Millions, we used the number of tickets that won either of the two smallest fixed prizes, as announced on the lottery website. For Lotto Texas, the number of tickets sold is from [20].

6. BREAK-EVEN CURVES

At this point, for any particular drawing, we are able to apply (4.4) to compute the expected rate of return. But this quickly becomes tiresome; our goal in this section is to give criteria that—in “most” cases—can be used to determine the *sign* of the expected rate of return, i.e. whether or not the drawing is a good bet. These criteria will be easy to check, making them applicable to large classes of drawings all at once.

Recall that for a given lottery, the numbers f, r_i, p_i , and t (and therefore F and J_0) are constants depending on the setup of the lottery; what changes from drawing to drawing are the values of J and N . Thus J and N are the parameters which control the eRoR for any particular drawing. In light of (5.2), it makes sense to normalize J by dividing it by the jackpot cutoff J_0 ; equation (5.2) says that if $J/J_0 < 1$ then the eRoR is negative. It is helpful to normalize N as well; it turns out that a good way to do this is to divide by J , as the quantity N/J plays a decisive role in our analysis. Thus we think of ticket sales as being “large” or “small” only in relation to the size of the jackpot. We therefore use the variables

$$x := N/J \quad \text{and} \quad y := J/J_0$$

to carry out our analysis, instead of N and J .

With this in mind, once again, for any particular lottery, one can now fill in all the parameters in (4.4) and plot the level curve $\{(\text{eRoR}) = 0\}$ in the (x, y) -plane. That is, upon substituting yJ_0 for J and xyJ_0 for N and equating to zero, one gets a curve that we call the *break-even curve*, because drawings lying on that curve have expected rate of return zero. This curve is interesting for the gambler because it separates the region of the (x, y) -plane consisting of drawings with positive rates of return from the region of those with negative rates of return. The break-even curves for Mega Millions, Powerball, Lotto Texas, and New Jersey Pick 6 are the lighter curves in Figure 6A. (Note that they are so similar that it is hard to tell that there are four of them!)

The two bold curves in Figure 6A are the level curves

$$(6.1) \quad U := \left\{ (x, y) \mid -1 + \frac{1 - 0.45^{xy}}{x} = 0 \right\}$$

and

$$(6.2) \quad L := \left\{ (x, y) \mid -0.8 + \frac{1 - 0.36^{xy}}{x} = 0 \right\}.$$

Their significance is spelled out in the following theorem, which is our core result.




FIGURE 6A. Illustration of Theorem 6.3. The break-even curve for any lottery must lie in the region between the two bold curves. The lighter curves between the two bold curves are the break-even curves for Mega Millions, Powerball, Lotto Texas, and New Jersey Pick 6. Drawings in the region marked $-$ have a negative eRoR and those in the region marked $+$ have a positive eRoR.

Theorem 6.3. *For any lottery satisfying*

$$(6.4) \quad t \geq 500 \quad \text{and} \quad F \geq 0.8,$$

we have:

- (a) *The break-even curve lies between the two curves U and L .*
- (b) *Any drawing with (x, y) above the break-even curve has positive eRoR.*
- (c) *Any drawing with (x, y) below the break-even curve has negative eRoR.*

In particular, for any drawing of any lottery, if (x, y) is above U then the eRoR is positive, and if (x, y) is below L then the eRoR is negative.

The hypotheses (6.4) are relatively weak. The first says that the lottery has at least 500 possible distinct tickets; our example lotteries all have well over a million distinct tickets. The assumption on F says (approximately) that the expected rate of return from pari-mutuel and fixed prizes is at most 20%. All of our example lotteries have $F \geq 0.82$.

We need the following lemma from calculus.

Lemma 6.5. *The function $g(t) = (1 - 1/t)^t$ is increasing for $t > 1$, and the limit is $1/e$.*

Proof. The limit is well-known. We prove that g is increasing, which is an exercise in first-year calculus.^e In order to take the derivative we first take the logarithm:

$$\ln g(t) = t \ln(1 - 1/t)$$

Now differentiating both sides yields

$$(6.6) \quad \frac{g'(t)}{g(t)} = \ln(1 - 1/t) + t \frac{1/t^2}{1 - 1/t} = \ln(1 - 1/t) + \frac{1}{t - 1}.$$

We want to show that $g'(t) > 0$. Since the denominator on the left, $g(t)$, is positive, it suffices to show that the right side is positive. To do this we rearrange the logarithm as $\ln(1 - 1/t) = \ln(\frac{t-1}{t}) = \ln(t - 1) - \ln t$. Now, using the fact that

$$\ln t = \int_1^t \frac{1}{x} dx,$$

the right side of (6.6) becomes

$$- \int_{t-1}^t \frac{1}{x} dx + \frac{1}{t - 1},$$

which is evidently positive, because the integrand $1/x$ is less than $1/(t - 1)$ on the interval of integration. \square

We can now prove the theorem.

Proof of Theorem 6.3. We first claim that for any $c > 0$,

$$(6.7) \quad 1 - 0.45^c < cJ_0 s(1/t, cJ_0) < 1 - 0.36^c.$$

Recall that $J_0 = Ft$. We write out s using Prop. 4.3:

$$cJ_0 s(1/t, cJ_0) = 1 - (1 - 1/t)^{cFt}.$$

By Lemma 6.5, the function $t \mapsto (1 - 1/t)^t$ is increasing. Thus, by (6.4), we have

$$(1 - 1/t)^t \geq 0.998^{500} > 0.36.$$

For the lower bound in (6.7), Lemma 6.5 gives that $(1 - 1/t)^t$ is at most $1/e$. Putting these together, we find:

$$1 - e^{-cF} < cJ_0 s(1/t, cJ_0) < 1 - 0.36^{cF},$$

which proves (6.7).

Looking at equation (4.4) for the eRoR, we observe that the pari-mutuel rates r_i are non-negative, so for a lower bound we can take $p_i = 0$ for all i . Combined with the upper bound (5.1), we have:

$$-f + J s(1/t, N) \leq (\text{eRoR}) \leq -F + J s(1/t, N).$$

^eThis function is one of those for which computers give a misleading plot. For large values of t , say $t > 10^8$, Mathematica shows a function that appears to be oscillating.

Replacing N with xyJ_0 and J with xyJ_0/x and applying (6.7) with $c = xy$ gives:

$$(6.8) \quad -1 + \frac{1 - 0.45^{xy}}{x} < (\text{eRoR}) < -0.8 + \frac{1 - 0.36^{xy}}{x}.$$

We now prove (b) and (c), after which (a) will follow rather easily. We set

$$f(x, y) := \frac{1 - b^{xy}}{x}.$$

In view of the definitions of U and L as level curves, both (b) and (c) would follow if we could show that

$$\partial f / \partial x < 0 \quad \text{and} \quad \partial f / \partial y > 0$$

for $x, y > 0$ and $0 < b < 1$. The partial with respect to y is easy: $\partial f / \partial y = -b^{xy} \ln(b) > 0$. For the partial with respect to x , we have:

$$\frac{\partial}{\partial x} \left[\frac{1 - b^{xy}}{x} \right] = \frac{b^{xy}}{x^2} [1 - b^{-xy} - \ln(b^{xy})].$$

Set $c = b^{xy}$. Then, since c and x^2 are both positive, it suffices to show that

$$1 - \frac{1}{c} - \ln c < 0.$$

It is a common calculus exercise to show that $1 + z < e^z$ for all $z > 0$ (e.g., by using a power series). This implies $\ln(1 + z) < z$ or, shifting the variable, $\ln z < z - 1$ for all $z > 1$. Applying this with $z = 1/c$ gives the claim, and completes the proofs of (b) and (c).

For (a), consider any point (x, y) on the break-even curve. This means $(\text{eRoR}) = 0$ at (x, y) . Looking at 6.8, we see that the expression on the left is negative and the expression on the right is positive. In view of the proof of (b) and (c), this means that (x, y) lies below the level curve obtained by setting the left expression to zero, and above the curve obtained by setting the right expression to zero. These curves are U and L . \square

We can enlarge the negative region in Figure 6A somewhat by incorporating (5.2), which says that the eRoR is negative for any drawing with $y = J/J_0 < 1$. In fact (5.2) implies that the break-even curve for a lottery will not intersect the line $y = 1$ except possibly when no other tickets are sold, i.e. when $N = 1$ or equivalently $x = 1/J \approx 0$. The result is Figure 6B.

Figure 6B includes several data points for actual drawings which have occurred. The four solid dots represent the four drawings from Table 4. The circles in the bottom half of the figure are a few typical Powerball and Mega Millions drawings. In all the drawings that we examined, the only ones we found in the inconclusive region (between the bold curves), were some of those leading up to the positive Lotto Texas drawing plotted in the figure.

7. EXAMPLES

We now give two concrete illustrations of Theorem 6.3. Let's start with the good news.

7.1. Small ticket sales. The point $(0.2, 1.4)$ (approximately) is on the curve U defined in (6.1); therefore any drawing of any lottery satisfying

- (1) $N < 0.2J$ and
- (2) $J > 1.4J_0$

will have positive eRoR. (This is the small shaded rectangle on the left side of Figure 7.) We chose to look at this point because many state lotteries, such as Lotto Texas, tend to satisfy (1) every week. So to find a positive eRoR, this is the place to look: just wait until J reaches the threshold (2). (Recall that the reader betting on unpopular numbers can strengthen this result slightly by replacing N with N^{eff} as discussed in 4.7.)

7.2. Large ticket sales. On the other hand, the point $(1.12, 2)$ is on the curve L defined in (6.2); therefore any drawing of any lottery with

- (1) $N > 1.12J$ and
- (2) $J < 2J_0$

will have a negative eRoR. This is the large rectangular region on the right side of Figure 7. In this case we have chosen to focus on this particular rectangle for two reasons. Mega Millions and Powerball tend to have large ticket sales (relative to J); specifically N/J has exceeded 1.12 every time J




FIGURE 6B. Refinement of Figure 6A. Drawings in the regions marked with +’s have positive eRoR and those in regions marked with -’s have negative eRoR.




FIGURE 7. Figure 6B with the regions covered by the Small Ticket Sales and the Large Ticket Sales examples shaded.

has exceeded J_0 . Moreover, no drawing of any lottery we are aware of has ever come close to violating (2). In fact, for lotteries with large ticket sales (such as Mega Millions and Powerball), the largest value of J/J_0 we have observed is about 1.19, in the case of the Mega Millions drawing in Table 4. Thus no past drawing of Mega Millions or Powerball has ever offered a positive eRoR. (Once again, betting on unpopular numbers as in 4.7 can improve one's eRoR; in this case replacing N with N^{eff} weakens our result slightly.)

Of course, if we are interested in Mega Millions and Powerball specifically, then we may obtain stronger results by using their actual break-even curves, rather than the bound L . We will do this in the next section to argue that in all likelihood these lotteries will never offer a good bet.

In each of these examples, our choice of region (encoded in the hypotheses (1) and (2)) is somewhat arbitrary. The reader who prefers a different rectangular region can easily cook one up: just choose a point on U or L to be the (lower right or upper left) corner of the rectangle and apply Theorem 6.3. At the cost of slightly more complicated (but still linear) hypotheses, one could prove something about various triangular regions as well.

8. MEGA MILLIONS AND POWERBALL

Mega Millions and Powerball fall under the Large Ticket Sales example (7.2) of the previous section, and indeed they have never offered a positive

eRoR. We now argue that *in all likelihood, no future drawing of either of these lotteries will ever offer a positive eRoR.*

8.1. Mega Millions / Powerball. Note that for these lotteries we know the exact break-even curves, so we needn't use the general bound L . Using the data from Table 3B, we find that the break-even curve for Mega Millions is given by

$$Z_{MM} := \left\{ -0.838 + \frac{1 - 0.43^{xy}}{x} = 0 \right\}$$

and the break-even curve for Powerball is given by

$$Z_{PB} := \left\{ -0.821 + \frac{1 - 0.44^{xy}}{x} = 0 \right\}.$$

The point $(1, 2)$ is below both of these curves, as can be seen by plugging in $x = 1$ and $y = 2$. Thus, as in Theorem 6.3, *any Mega Millions or Powerball drawing has negative eRoR if*

- (1) $N > J$ and
- (2) $J < 2J_0$.

8.2. Why Mega Millions and Powerball will always be bad bets. As we have mentioned already, every time a Mega Millions or Powerball jackpot reaches J_0 , the ticket sales N have easily exceeded the jackpot J . Assuming this trend will continue, the preceding example shows that a gambler seeking a positive rate of return on a Mega Millions or Powerball drawing need only consider those drawings where the jackpot J is at least $2J_0$. (Even then, of course, the drawing is not guaranteed to offer a positive rate of return.) We give a heuristic calculation to show that this will probably never happen.

Since the inception of these two games, the value of J/J_0 has exceeded 1 only three times, with a maximum value of 1.19. (These are the last three drawings listed in Table 4.) What would it take for J/J_0 to reach 2?

We will compute two things: first, the probability that a large jackpot ($J \geq J_0$) rolls over, and second, the number of times this has to happen for the jackpot to reach $2J_0$. The chance of a rollover is the chance that the jackpot is not won, i.e.

$$(1 - 1/t)^N$$

where N is the number of tickets sold. This is a decreasing function of N , so in order to find an upper bound for this chance, we need a lower bound on N as a function of J . For this we use the assumption (1) above, which historically has been satisfied for all large jackpots. Since a rollover can only cause the jackpot to increase, the same lower bound on N will hold for all future drawings until the jackpot is won. Thus if the current jackpot is $J \geq J_0$, the chance of rolling over k times is at most

$$(1 - 1/t)^{kJ_0}.$$

Now, $J_0 = Ft$ and since t is quite large, we may approximate $(1 - 1/t)^t$ by its limiting value as t tends to infinity, which is $1/e$. Thus the probability

above is roughly e^{-kF} . Since $F \geq 0.82$, we conclude that once the jackpot reaches J_0 , the chance of it rolling over k times is no more than $e^{-.82k}$.

Let us now compute the number k of rollovers it will take for the jackpot to reach $2J_0$. Each time the jackpot (J) rolls over (due to not being won), the jackpot for the next drawing increases, say to J' . The amount of increase depends on the ticket sales, as this is the only source of revenue and a certain fraction of revenue is mandated to go toward the jackpot. So in order to predict how much the jackpot will increase, we need a model of ticket sales as a function of the jackpot. It is not clear how best to model this, since the data are so sparse in this range. For smaller jackpots, evidence [6] indicates that ticket sales grow as a quadratic function of the jackpot, so one possibility is to extrapolate to this range. On the other hand, no model can work for arbitrarily large jackpots, because of course at some point the sales market will be saturated. For the purposes of this argument, then, we note that the ratio J'/J has never been larger than about 1.27 for any reasonably large jackpot, and we use this as an upper bound on the rolled over jackpot. This implicitly assumes a linear upper bound on ticket sales as a function of the jackpot, but the bound is nevertheless generous by historical standards.^f

So, suppose that each time a large jackpot J is rolled over, the new jackpot J' is less than $1.27J$. Then, even the jackpot corresponding to the largest value of J/J_0 (namely $J/J_0 = 1.19$) would have had to roll over three more times before J would have surpassed $2J_0$. Thus we should evaluate $e^{-0.82k}$ with $k = 3$.

Plugging in $k = 3$ shows that once the jackpot reaches J_0 , the probability that it reaches $2J_0$ is at most $e^{-0.82 \cdot 3} < 1/11$. So if the jackpot of one of these lotteries reaches J_0 about once every two years (a reasonable estimate by historical standards), then one would expect it to reach $2J_0$ about once every 22 years, which is longer than the life span of most lotteries. This is the basis of our claim that Mega Millions and Powerball are unlikely to ever offer a positive eRoR.

As a final remark, we point out that even in the “once every 22 years” case where the jackpot exceeds $2J_0$, one only concludes that the hypotheses of Example 8.1 are not satisfied; one still needs to check whether the expected rate of return is positive. And in any case, there still remains the question of whether buying lottery tickets is a good investment.

Part III. To invest or not to invest: analyzing the risk

In the last few sections we have seen that good bets in the lottery do exist, though they may be rare. We also have an idea of how to find them. So if you are on the lookout and you spot a good bet, is it time to buy

^fIt was pointed out to us by Victor Matheson that over time lottery ticket sales are trending downward [6], so our upper bound on all past events is likely to remain valid in the future.

tickets? In the rest of the paper we address the question of whether such an opportunity would actually make a good investment.

9. IS POSITIVE RATE OF RETURN ENOUGH?

The Lotto Texas drawing of April 7, 2007 had a huge rate of return of 30% over a very short time period (which for sake of argument we call a week). Should you buy tickets for such a drawing? The naive investor would see the high rate of return and immediately say “yes.”^g But there are many risky investments with high expected rates of return that investors typically choose not to invest in directly, like oil exploration or building a time machine. How should one make these decisions?

This is an extreme example of a familiar problem: you want to invest in a combination of various assets with different rates of return and different variances in those rates of return. Standard examples of such assets are a Certificate of Deposit with a low (positive) rate of return and zero variance, bonds with a medium rate of return and small variance, or stocks with a high rate of return and large variance. How can you decide how much to invest in each? Undergraduate economics courses teach a method, known as *mean-variance portfolio analysis*, by which the investor can choose the optimal proportion to invest in each of these assets. (Harry Markowitz and William Sharpe shared the Nobel Prize in economics in 1990 for their seminal work in this area.) We will apply this same method to compare lottery tickets with more traditional risky assets. This will provide both concrete investment advice and a good illustration of how to apply the method, which requires little more than basic linear algebra.

The method is based on certain assumptions about your investment preferences. You want to pick a *portfolio*, i.e., a weighted combination of the risky assets where the weights sum to 1. We assume:

- (1) When you decide whether or not to invest in an asset, the only attributes you consider are its expected rate of return, the variance in that rate, and the covariance of that rate with the rates of return of other assets.^h
- (2) You prefer portfolios with high rate of return and low variance over portfolios with low rate of return and high variance. (This is obvious.)
- (3) Given a choice between two portfolios with the same variance, you prefer the one with the higher rate of return.

^gThe naive view is that rate of return is all that matters. This is not just a straw man; the writers of mutual fund prospectuses often capitalize on this naive view by reporting historical rates of return, but not, say, correlation with the S&P 500.

^hThis assumption is appealing from the point of view of mathematical modeling, but there are various objections to it, hence also to mean-variance analysis. But we ignore these concerns because mean-variance analysis is “the de-facto standard in the finance profession” [4, §2.1].

- (4) Given a choice between two portfolios with the same rate of return, you prefer the one with the lower variance.

From these assumptions, we can give a concrete decision procedure for picking an optimal portfolio.

But before we do that, we first justify (4). In giving talks about this paper, we have found that (4) comes as a surprise to some mathematicians; they do not believe that it holds for every rational investor. Indeed, if an investor acts to maximize their expected amount of money, then two portfolios with the same rate of return would be equally desirable. But economists assume that rational investors act to maximize their expected *utility*.

In mathematical terms, an investor derives utility (pleasure) $U(x)$ from having x dollars, and the investor seeks to maximize the expected value of $U(x)$. Economists assume that $U'(x)$ is positive, i.e., the investor always wants more money. They call this axiom *non-satiety*. They also assume that $U''(x)$ is negative, meaning that someone who is penniless values a hundred dollars more than a billionaire does. These assumptions imply (4), as can be seen by Jensen's Inequality: given two portfolios with the same rate of return, the one with lower variance will have higher expected utility. As an alternative to using Jensen's, one can examine the Taylor polynomial of degree 2 for $U(x)$. The great economist Alfred Marshall took this second approach in Note IX of the Mathematical Appendix to [16].ⁱ Economists summarize property (4) by saying that *rational investors are risk-averse*.

10. EXAMPLE OF PORTFOLIO ANALYSIS

We consider a portfolio consisting of typical risky assets: the Lehman US aggregate bond index (AGG), the MSCI EAFE index (which indexes stocks from outside of North America), the FTSE/NAREIT all REIT index (indexing US Real Estate Investment Trusts), the Standard & Poor 500 (S&P500), and the NASDAQ Composite index. We collected weekly adjusted returns on these investments for the period January 31, 1972 through June 4, 2007—except for AGG, for which the data began on September 29, 2003. The average weekly rate of return and the covariance of these rates of return are given in Table 10.

We choose one of the simplest possible versions of mean-variance analysis. We assume that you can invest in a risk-free asset—e.g., a short-term government bond or a savings account—with positive rate of return R_F . The famous “separation theorem” says that you will invest in some combination of the risk-free asset and an efficient portfolio of risky assets, where the risky portfolio depends only on R_F and *not on your particular utility function*. See [26] or any book on portfolio theory for more on this theorem.

ⁱThat note ends with: “... experience shows that [the pleasures of gambling] are likely to engender a restless, feverish character, unsuited for steady work as well as for the higher and more solid pleasures of life.”

#	asset	eRoR	AGG	EAFE	REIT	S&P500	NASDAQ
1	AGG	.057	.198	.128	.037	-.077	-.141
2	EAFE	.242		5.623	2.028	.488	.653
3	REIT	.266			4.748	.335	.419
4	S&P500	.109				10.042	10.210
5	NASDAQ	.147					12.857

TABLE 10. Typical risky investments

The third column gives the expected weekly rate of return in %. Columns 4–8 give the covariances (in $\%^2$) between the weekly rates of return. The omitted covariances can be filled in by symmetry.

We suppose that you will invest an amount i in the risky portfolio, with units chosen so that $i = 1$ means you will invest the price of 1 lottery ticket. We describe the risky portfolio with a vector X such that your portfolio contains $i X_k$ units of asset k . If X_k is negative, this means that you “short” $i |X_k|$ units of asset k . We require further that $\sum_k |X_k| = 1$, i.e., in order to sell an asset short, you must put up an equal amount of cash as collateral. (An economist would say that we allow only “Lintnerian” short sales, cf. [14].)

Determining X is now an undergraduate exercise. We follow §II of [14]. Write μ for the vector of expected returns, so that μ_k is the eRoR on asset k , and write C for the symmetric matrix of covariances in rates of return; initially we only consider the 5 typical risky assets from Table 10. Put:

$$Z := C^{-1} \left(\mu - R_F \begin{pmatrix} 1 \\ \vdots \\ 1 \end{pmatrix} \right).$$

Then

$$(10.1) \quad X = \frac{Z}{\sum_k |Z_k|}.$$

For a portfolio consisting of the 5 typical securities in Table 10, we find, with numbers rounded to three decimal places:

$$(10.2) \quad Z = \begin{pmatrix} 0.277 - 5.118R_F \\ 0.023 + 0.013R_F \\ 0.037 - 0.165R_F \\ -0.009 - 0.014R_F \\ 0.019 - 0.118R_F \end{pmatrix}$$

11. SHOULD YOU INVEST IN THE LOTTERY?

We repeat the computation from the previous section, but we now include a particular lottery drawing as asset 6. We suppose that the drawing has eRoR R_L and variance v . Recall that the eRoR is given by (4.4). One definition of the variance is $E(X^2) - E(X)^2$; here is a way to quickly estimate it.

11.1. Estimating the variance. For lottery drawings, $E(X^2)$ dwarfs $E(X)^2$ and by far the largest contribution to the former term comes from the jackpot. Recall that jackpot winnings might be shared, so by taking into account the odds for the various possible payouts, we get the following estimate for the variance v_1 on the rate of return for a single ticket, where w denotes the total number of tickets winning the jackpot, including yours:

$$v_1 \approx \sum_{w \geq 1} 100^2 \left(\frac{J}{w} - 1 \right)^2 \binom{N-1}{w-1} p^w (1-p)^{N-w}.$$

(The factor of 100^2 converts the units on the variance to $\% ^2$, to match up with the notation in the preceding section.) Although this looks complicated, only the first few terms matter.

There is an extra complication. The variance of an investment in the lottery depends on how many tickets you buy, and we avoid this worry by supposing that you are buying shares in a syndicate that expects to purchase a fixed number S of lottery tickets. In this way, the variance v of your investment in the lottery is the same as the variance in the syndicate's investment. Assuming the number S of tickets purchased is small relative to the total number of possible tickets, the variance v of your investment is approximately v_1/S .

With estimates of the eRoR R_L and the variance v in hand, we proceed with the portfolio analysis. We write $\hat{\mu}$ for the vector of expected rates of return and \hat{C} for the matrix of covariances, so that

$$\hat{\mu} = \begin{pmatrix} \mu \\ R_L \end{pmatrix} \quad \text{and} \quad \hat{C} = \begin{pmatrix} C & 0 \\ 0 & v \end{pmatrix}.$$

We have:

$$\hat{Z} = \hat{C}^{-1} \left(\hat{\mu} - R_F \begin{pmatrix} 1 \\ \vdots \\ 1 \end{pmatrix} \right) = \begin{pmatrix} Z \\ (R_L - R_F)/v \end{pmatrix}.$$

We may as well assume that R_L is greater than R_F ; otherwise, buying lottery tickets increases your risk and gives you a worse return than the risk-free asset. Then the last coordinate of \hat{Z} is positive. This is typical in that an efficient portfolio contains some amount of “nearly all” of the possible securities. In the real world, finance professionals do not invest in assets where mean-variance analysis suggests an investment of less than some fraction θ of the total. Let us do this. With that in mind, should you invest in the lottery?

Negative Theorem. *Under the hypotheses of the preceding paragraph, if*

$$v \geq \frac{R_L - R_F}{0.022\theta},$$

then an efficient portfolio contains a negligible fraction of lottery tickets.

Before we prove this Negative Theorem, we apply it to the Lotto Texas drawing from Table 4, so e.g., R_L is about 30% and the variance for a single ticket v_1 is about 4×10^{11} (see 11.1). Suppose that you have \$1000 to invest for a week in some combination of the 5 typical risky assets or in tickets for such a lottery drawing. We will round our investments to whole numbers of dollars, so a single investment of less than 50 cents will be considered negligible. Thus we take $\theta = 1/2000$. We have:

$$\frac{R_L - R_F}{.022\theta} < \frac{30}{1.1 \times 10^{-5}} < 2.73 \times 10^6.$$

In order to see if the Negative Theorem applies, we want to know whether v is bigger than 2.73 million. As in 11.1, we suppose that you are buying shares in a syndicate that will purchase S tickets, so the variance v is approximately $(4 \times 10^{11})/S$. That is, it appears that the syndicate would have to buy around

$$S \approx \frac{4 \times 10^{11}}{2.73 \times 10^6} \approx 145,000 \text{ tickets}$$

to make the (rather coarse) bound in the Negative Theorem fail to hold.

In other words, according to the Negative Theorem, if the syndicate buys fewer than 145,000 tickets, our example portfolio would contain zero lottery tickets. If the syndicate buys more than that number of tickets, then it might be worth your while to get involved.

Proof of the Negative Theorem. We want to prove that $|\hat{X}_6| < \theta$. We have:

$$|\hat{X}_6| = \frac{|\hat{Z}_6|}{\sum_k |\hat{Z}_k|} < \frac{|\hat{Z}_6|}{|\hat{Z}_2|}.$$

(The inequality is strict because \hat{Z}_6 is not zero.) Since R_F is positive, (10.2) gives $\hat{Z}_2 > 0.022$. Plugging in the formula $|\hat{Z}_6| = (R_L - R_F)/v$, we find:

$$|\hat{X}_6| < \frac{R_L - R_F}{0.022v}.$$

By hypothesis, the fraction on the right is at most θ . □

12. CONCLUSIONS

So, how can you make money at the lottery?

Positive return. If you just want a positive expected rate of return, then our results in section 8 say to avoid Mega Millions and Powerball. Instead, you should buy tickets in lotteries where the ticket sales are a small fraction of the jackpot. And furthermore, one should only do so when the jackpot is unusually large—certainly the jackpot has to be bigger than the jackpot cutoff J_0 defined in (3.3).

To underline these results, we point out that the Small Ticket Sales Example 7.1 gives concrete criteria that guarantee that a lottery drawing has a positive rate of return. We remark that even though these drawings have

high variances, a positive rate of return is much more desirable than, say, casino games like roulette, keno, and slot machines, which despite their consistent negative rates of return are nonetheless extremely popular.

Positive return and buyouts. For drawings with a positive rate of return, one can obtain a still higher rate of return by “buying out” the lottery, i.e., buying one of each of the possible distinct tickets. This requires a large investment; in the case of Lotto Texas, about \$26 million. This has been attempted on several occasions, notably with Australia’s New South Wales lottery in 1986, the Virginia (USA) Lottery in 1992 [19], and the Irish National Lottery in 1992 [9].^j Buying out the lottery may be tax advantaged because the full cost of buying the tickets may be deductible from the winnings; please consult a tax professional for advice. On the other hand, buying out the lottery incurs substantial operational overhead in organizing the purchase of so many tickets, which typically must be purchased by physically going to a lottery retailer and filling out a play slip.

We also point out that in some of the known buyout attempts the lottery companies resisted paying out the prizes, claiming that the practice of buying out the game is counter to the spirit of the game (see [19], [9]). In both the cited cases there was a settlement, but one should be aware that a buyout strategy may come up against substantial legal costs.

We omit a detailed analysis here because of various complicating factors such as the tax advantages, increase in jackpot size due to extra ticket sales, and a more complicated computation of expected rate of return due to the lower-tier pari-mutuel prizes. The simple computations we have done do not scale up to include the case of a buy out. See [10] for an exhaustive empirical study.

Investing. If you are seeking consistently good investment opportunities, then our results in section 11 suggest that this doesn’t happen in the lottery, due to the astounding variances in rates of return on the tickets.

What if a syndicate intends to buy out a lottery drawing, and there is a positive expected rate of return? Our mean-variance analysis suggests that you should invest a small amount of money in such a syndicate.

Alternative strategies. Buying tickets is not the only way to try to make money off the lottery. The corporations that operate Mega Millions and Powerball are both profitable, and that’s even after giving a large fraction of their gross income (35% in the case of Mega Millions [22]) as skim to the participating states. Historically speaking, lotteries used to offer a better rate of return to players [27], possibly because the lottery only had to provide profits to the operators. With this in mind, today’s entrepreneur could simply run their own lottery with the same profit margins but returning to the players (in the form of better prizes) the money that the state would

^jInterestingly, in both the Virginia and Irish drawings, buyout organizers won the jackpot despite only buying about 70% [29] and 92% [7] of the possible tickets, respectively.

normally take. This would net a profit for the operator and give the lottery players a better game to play. Unfortunately, we guess that running one's own lottery is illegal in most cases. But a similar option may be open to casinos: A small modification of keno to allow rolling jackpots could combine the convenience and familiarity of keno with the excitement and advertising power of large jackpots.

Acknowledgments. We thank Amit Goyal and Benji Shemmer for sharing their helpful insights; Bill Ziemba and Victor Matheson for valuable feedback on an earlier draft; and Rob O'Reilly for help with finding the data in Table 10. The second author was partially supported by NSF grant DMS-0654502.

REFERENCES

- [1] D.R. Bellhouse, *The Genoese lottery*, *Statistical Science* **6** (1991), 141–148.
- [2] _____, *Euler and lotteries*, in “Leonhard Euler: life, work and legacy” (R.E. Bradley, C.E. Sandifer, and E. Sandifer, eds.), Elsevier, 2007.
- [3] Charles W. Blau and Jason B. Coutant, *Federal tax treatment of gains and losses from gambling transactions*, *Gaming Law Review* **7** (2003), no. 5, 319–322.
- [4] M.W. Brandt, *Portfolio choice problems*, in “Handbook of financial economics” (L. Hansen and Y. Ait-Sahalia, eds.), Elsevier, to appear.
- [5] Herman Chernoff, *How to beat the Massachusetts numbers game*, *Math. Intelligencer* **3** (1981), 166–172.
- [6] L. DeBoer, *Lotto sales stagnation: product maturity or small jackpots?*, *Growth and change* **21** (1990), 73–77.
- [7] Douglas Dilby, *Syndicate strikes again to win €275,000 Dublin home*, *The Sunday Times*, 8 May 2005.
- [8] Leonhard Euler, *Sur la probabilité des séquences dans la lotterie Génoise*, *Memoires de l'academie des sciences de Berlin* **21** (1767), 191–230. Available online at math.dartmouth.edu/~euler/docs/originals/E338.pdf
- [9] Rebecca Fowler, *How to make a killing on the lottery*, *The Independent* (London), 4 January 1996.
- [10] Kent R. Grote and Victor A. Matheson, *In search of a fair bet in the lottery*, *Eastern Economic J.* **32** (2006), 673–684.
- [11] Alex Haley and Malcolm X, *The autobiography of Malcolm X*, Grove Press, New York, 1965.
- [12] Internal Revenue Service, *Instructions for forms W-2G and 5754*, 2007.
- [13] Lawrence J. Kaplan and James M. Maher, *The economics of the numbers game*, *American Journal of Economics and Sociology* **29** (1970), 391–408.
- [14] J. Lintner, *The valuation of risk assets and the selection of risky investments in stock portfolios and capital budgets*, *The review of economics and statistics* **47** (1965), no. 1, 13–37.
- [15] L.C. MacLean, W.T. Ziemba, and G. Blazenko, *Growth versus security in dynamic investment analysis*, *Management Science* **38** (1992), 1562–1585.
- [16] Alfred Marshall, *Principles of economics*, eighth edition, Macmillan, 1920. Available online at www.econlib.org/library/Marshall/marP.html
- [17] V.A. Matheson, *When are state lotteries a good bet (revisited)?*, *Eastern Economic Journal* **27** (2001), no. 1, 55–70.
- [18] V.A. Matheson and K. Grothe, *US lotto markets*, in “Handbook of sports and lottery markets” (D.B. Hausch and W.T. Ziemba, eds.), Elsevier, to appear.
- [19] I. McMinn, *Number is up for Lotto whizz*, *Sunday Herald Sun*, 30 April 1995.

- [20] D. Nettles, *Total sales and jackpot amounts for each of the Lotto Texas drawings*, website www.lottoreport.com/lottosales.htm, retrieved 10 August 2007.
- [21] New Jersey Division of Taxation, *Form NJ-1040 line-by-line instructions*, 2006.
- [22] *Official home of Mega Millions*, website www.megamillions.com/aboutus/where_money_goes.asp, retrieved 19 February 2008.
- [23] W. Perry, *Who's laughing now? Joker is \$258 million richer*, Associated Press, 23 September 2005.
- [24] *Powerball home page*, website www.powerball.com, retrieved 20 February 2008.
- [25] L.M. Rotando and E.O. Thorp, *The Kelly criterion and the stock market*, *American Mathematical Monthly* **99** (1992), 922–931.
- [26] W.F. Sharpe, *Portfolio theory and capital markets*, McGraw-Hill, New York, 1970.
- [27] R. Clay Sprowls, *A historical analysis of lottery terms*, *The Canadian Journal of Economics and Political Science* **20** (1954), no. 3, 347–356.
- [28] The Straight Dope, *If I win the lottery, should I ask for a lump sum or an annuity?*, website www.straightdope.com/mailbag/mlottery.html, retrieved 6 August 2007.
- [29] The Washington Post, *Va. Lotto payoff approved*, 11 March 1992.
- [30] W.T. Ziemba, S.L. Brumelle, A. Gautier, and S.L. Schwartz, *Dr Z's 6/49 Lotto guidebook*, Dr. Z Investments, Vancouver, 1986.
- [31] W.T. Ziemba, *Efficiency of racing, sports and lottery betting markets*, in “Handbook of sports and lottery markets” (D.B. Hausch and W.T. Ziemba, eds.), Elsevier, to appear.

DEPARTMENT OF MATHEMATICS & COMPUTER SCIENCE, 400 DOWMAN DR., EMORY UNIVERSITY, ATLANTA, GEORGIA 30322

E-mail address: abrams@mathcs.emory.edu

E-mail address: skip@member.ams.org

URL: <http://www.mathcs.emory.edu/~skip/>